


SOFTLINE 70^{AD}



"The classic forms are just my style."

SOFTLINE 70^{AD}

The VEKA system with the classic design



The Quality Profile
★ ★ ★ ★ ★ ★ ★ ★

SOFTLINE 70^{AD}



The VEKA system with the classic design

Modern PVC-U windows made from VEKA profiles benefit any house. The timelessly classic lines and slightly rounded contours of the SOFTLINE system blend in perfectly with all architectural styles, whether modern or traditional, newly built or renovated.



Classic design with soft contours



Style variant: semi-recessed

And the technology inside is a perfect match: multi-chamber profiles take advantage of the insulating properties of air to fulfil the most demanding heat retention requirements. So you will experience a comfortable, balanced atmosphere whatever the weather – and succeed in significantly reducing your energy bill.



Double-casement window, recessed

- ① **Top VEKA quality:** Class A profile in accordance with DIN EN 12608 with an outer wall thickness of 3 mm and 2.7 mm walls in the rebate and connection area (tolerance of ±0.2 mm in each case)
- ② **Best thermal insulation** of up to $U_w = 0.83 \text{ W}/(\text{m}^2\text{K})^*$, depending on the type of glazing, significantly reduces heating and cooling costs
- ③ **High-quality gaskets** in elegant grey or black – the rebate seal system with two seal levels reliably keeps cold, draughts and damp at bay
- ④ **Galvanised metal reinforcement** in accordance with VEKA reinforcement guidelines guarantee stability and long-lasting functionality
- ⑤ **5-chamber profile** with 70 mm standard installation depth makes optimum use of the insulating effect of air
- ⑥ **Slightly rounded contours** give the SOFTLINE system its classic look



SOFTLINE 70^{AD}

Style variant: recessed

*with $U_i = 1.3 \text{ W}/(\text{m}^2\text{K})$, $U_g = 0.5 \text{ W}/(\text{m}^2\text{K})$, $\psi_g = 0.03 \text{ W}/(\text{mK})$



The best quality offers many benefits



Energy and cost savings



The multi-chamber technology of the SOFTLINE 70 profiles keeps heat loss to an absolute minimum. That helps to reduce energy consumption and at the same time keeps energy costs low and CO₂ emissions to a minimum.

Best noise insulation



Noise exposure is more than just an annoyance; it can damage your health. Even the standard windows in the SOFTLINE 70 range significantly reduce external noise, and are upgradeable to conform to the lowest sound transmission class.

Perfect atmosphere



SOFTLINE 70's excellent insulating properties minimise the temperature differences in your living space and ensure maximum comfort in your home. The extremely reliable gaskets are a high-performance barrier against cold and draughts.

Colour range



Coloured window frames and doors are a reflection of your individual character. With a portfolio of over 60 different colour hues and wood finishes, we offer individual solutions for every taste and architectural style. Moreover, the SOFTLINE 70 range includes anodised aluminium exterior panels in your favourite colour.

Increased security



Depending on their position and accessibility, windows need to fulfil a number of different security requirements. Special fittings, security glazing and handles can be fitted according to customer requirements to make VEKA profiles burglary-resistant.

Valuable investment



New windows are a worthwhile investment which increases the value of your property. The high-quality SOFTLINE 70 profiles with particularly smooth surfaces remain attractive for many years. They are easy to clean and never need to be painted.

The joy of form

You do not buy windows off the rail. They are individually made products of craftsmanship, tailored to blend in perfectly with the architecture of your house. That's why VEKA profile systems are made to be especially versatile. They come in a huge range of frame and casement profiles with a complete line of accessories, giving you full creative freedom in realising your

ideas. Choose from our classic white or coloured portfolios, add interesting details like Georgian bars, or incorporate special forms – round or arched windows, triangular, gable or bay window constructions. The possibilities are endless – express your own personal style.



More comfort for your own four walls

To come home, put your feet up, unwind – there's nothing like it. Home is where we forget the stresses of our working day and relax. It's the central point of our life: a place that feels safe and secure, where we find peace and quiet, a place for the family. In order to make your home that comfortable

haven, many details have to be just right. Windows are an important factor. They light up the interior, protect you from wind, weather and noise and ensure your living environment is just how you want it to be – any time of the year.

We'd love to tell you more!

SOFTLINE 70^{AD}

The VEKA system with the classic design

Profile system

- Multi-chamber profiles with a standard installation depth of 70 mm
- Elegant, slightly rounded edges
- Variants: recessed, semi-recessed
- Visible surface: 99–176 mm
- Outstanding impermeability to driving rain protects against incoming moisture
- Protection against burglary according to DIN EN 1627 up to resistance class RC 2 with the corresponding fittings

VEKA quality

- VEKA quality made in Germany with wall thicknesses in accordance with DIN EN 12608, Class A
- Thick walls both in the outer areas and in the inner rebate and connection area that is important structurally
- Additional stability thanks to steel reinforcements for outstanding durability and operational reliability
- Optimum U-values for effective thermal insulation even with large, attractive glazed areas admitting large amounts of light

Energy efficiency

- Thermal insulation value of the profile system: up to $U_f = 1.3 \text{ W}/(\text{m}^2\text{K})$
- Overall thermal insulation value of the window: up to $U_w = 0.83 \text{ W}/(\text{m}^2\text{K})$
[with $U_f = 1.3 \text{ W}/(\text{m}^2\text{K})$, $U_g = 0.5 \text{ W}/(\text{m}^2\text{K})$, $\psi_g = 0.03 \text{ W}/(\text{mK})$]

Gasket system

- Two seal levels keep out noise, cold, damp and draughts
- Proven continuous rebate seal system in the window and sash frames
- High-quality gaskets in grey or black

Glazing rebate

- Glazing rebate depth of 24 mm
- Glazing thickness (for window and sash frames) of 4 – 42 mm

A wide range of designs

- Customised surfaces with more than 60 different colour and décor varieties and aluminium exterior panels available

Sustainability

- Environmentally friendly thanks to resource-conserving production processes
- SOFTLINE 70 profiles are nearly 100% recyclable

The VEKA partner near you:

